



DEADWEED BREW

Concentrate

Kills all types of weeds & grasses

For use on weeds on patios, walkways, driveways, flower beds, vegetable gardens, shrubs, trees, fences, foundations, other areas of your yard

ACTIVE INGREDIENTS:

Caprylic acid	45.14%
Capric acid	34.76%

OTHER INGREDIENTS: 20.10%

TOTAL: 100.00%

EPA Reg. No. 67702-54-4 EPA Est. No. 4-NY-1
[C8/C10 Fatty Acid blend equals 79.9%]

Keep Out Of Reach Of Children

CAUTION (See back booklet for additional Precautionary Statements and First Aid)
Net Contents 16 FL OZ (473 ML)

TRUSTED SINCE 1926
BONIDE®

Makes 4 gallons of finished spray

Total vegetation killer

Kills weeds, grass, algae & moss

#2600 v11/25



FOR ORGANIC
GARDENING



DEADWEED BREW

Concentrate

TRUSTED SINCE 1926
BONIDE®

- ✓ Fast acting weed, grass, moss & algae killer
- ✓ Eliminates unwanted vegetation quickly
- ✓ Treats up to 1,600 sq. ft.
- ✓  For organic gardening

Sold under a license of Neudorff
EPA Reg. No 67702-54-4 EPA Est. No 4-NY-1

© Bonide Products, LLC

All Rights Reserved

Distributed By: Bonide Products, LLC

6301 Sutliff Road

Oriskany, NY 13424

Pint #2600 v11/25



BN



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Application Directions

Shake well before using. Dilute with water using the chart below as a guide. Use the 3% solution for small, easy-to-kill weeds, less than 5 inches tall, and for moss and algae. Use the 6% solution for larger perennial weeds and grasses. Use the 9% solution for tough to kill weeds, vines, brush and sucker control. Apply the mixed solution at 2.5 – 7.5 gallons/1,000 ft² (3 – 9 fl. oz/yard²). Any standard hand-held or backpack sprayer can be used. Spray weed thoroughly, using a coarse nozzle setting to

reduce drift. Thorough coverage is extremely important. For spot treatment of individual weeds, apply the mixed solution to the center of plant to the point of runoff. Plant damage will be visible from a few hours to 2 days after spraying. Repeat treatment every 2 to 3 weeks to control new weeds growing from seed and re-growth from biennial and perennial weeds. Avoid spraying desirable plants. Thoroughly wash equipment after use.

Desired volume of spray solution	Amount of this product per volume of water		
	3% Solution	6% Solution	9% Solution
1 quart (32 fl. oz.)	1 fl. oz.	2 fl. oz.	3 fl. oz.
1 gallon (128 fl. oz.)	4 fl. oz.	8 fl. oz.	12 fl. oz.

PRODUCT INFORMATION

This product is a fast-acting, non-selective broadleaf weed, grass, algae and moss killer. This product is not translocated. It will burn only those plant parts that are coated with spray solution. This product can be used any time during the year and works best during warm and dry conditions. Application during cold weather may delay appearance of plant damage. If rain falls within 3 hours of treatment, an additional spray may be required. This product controls many common annual weeds and suppresses the growth of some biennial and perennial weeds. It can be used in cultivated areas prior to planting grass, flowers and vegetables. Areas can be re-planted as soon as desirable level of weed control is obtained.

USE SITES

Use on visible weeds within vegetable and flower gardens, landscaped areas, and lawns and weeds in the vicinity of small fruits, vines and fruit trees.

Use on visible weeds around and on buildings, sidewalks, fences, bark mulch, driveways, patios and gravel.

STORAGE & DISPOSAL

PESTICIDE STORAGE: Store unused material, tightly closed, in original container only, away from open flame. Do not store at temperatures below 39°F.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® (833) 972-1102 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear eye protection (goggles, face shield or safety glasses) and waterproof gloves. Wash thoroughly with soap and water after handling, and before eating, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.



Active Ingredients:
Caprylic Acid 45.14%
Capric Acid 34.76%
Other Ingredients: 20.10%
Total: 100.00%
(C8/C10 Fatty Acid Blend = 79.9%)



KEEP OUT OF REACH OF CHILDREN

CAUTION

Refer to inside of label booklet for additional precautionary information and Directions for use

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear eye protection (goggles, face shield or safety glasses) and waterproof gloves. Wash thoroughly with soap and water after handling, and before eating, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unused material, tightly closed, in original container only, away from open flame. Do not store at temperatures below 39°F.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA Reg. No. 67702-54-4

EPA Est. No. 4-NY-1 #2600 v11/25 Pint 6301 Sutliff Road, Oriskany, NY 13424

©Bonide Products, LLC